


REQUEST FOR QUOTATION (This is NOT an Order)		This RFQ <input checked="" type="checkbox"/> is <input type="checkbox"/> is not a small business set-aside		Page 1 Of 34
1. Request No. W56HZV-06-Q-1069	2. Date Issued 2006JUL10	3. Requisition/Purchase Request No. See Schedule	4. Cert For Nat Def. Under BDSA Reg. 2 and/or DMS Reg. 1 	Rating DOA4
5A. Issued By TACOM WARREN AMSTA-AQ-ATAF WARREN, MICHIGAN 48397-5000 W56HZV			6. Deliver by (Date) See Schedule	
			7. Delivery <input checked="" type="checkbox"/> FOB Destination <input type="checkbox"/> Other	
5B. For Information Call: (Name and telephone no.) (No collect calls) MARIE SARGEE (586) 574-7508 EMAIL: MARIE.SARGEE@US.ARMY.MIL			9. Destination (Consignee and address, including Zip Code) See Schedule	
8. To: Name and Address, Including Zip Code				
10. Please Furnish Quotations to the Issuing Office in Block 5A On or Before Close of Business (Date) 2006AUG22		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please indicate on this form and return it to the address in Block 5B. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any interpretations and/or certifications attached to this Request for Quotation must be completed by the quoter.		

11. Schedule (Include applicable Federal, State, and local taxes)					
Item Number (a)	Supplies/Services (b)	Quantity (c)	Unit (d)	Unit Price (e)	Amount (f)
	(See Schedule)				

12. Discount For Prompt Payment	a. 10 Calendar Days	b. 20 Calendar Days	c. 30 Calendar Days	d. Calendar Days	
	%	%	%	Number	Percentage

NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.			
13. Name and Address of Quoter (Street, City, County, State and Zip Code)	14. Signature of Person Authorized to Sign Quotation		15. Date of Quotation
	16. Signer		
	a. Name (Type or Print)		b. Telephone
	c. Title (Type or Print)		Area Code
		Number	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 2 of 34
---------------------------	--	----------------------------

Name of Offeror or Contractor:

SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	MAR/2006

(a) All TACOM solicitations and awards are distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) Unless otherwise authorized in this solicitation, you are required to submit your offer, bid, or quote electronically, normally via email or datafax. For detailed information about submitting your offer electronically, please see <http://contracting.tacom.army.mil/ebidnotice.htm>

(1) The proper TACOM addresses for offer submission are:

(i) RFQs: Email your quote to the contract specialist's email address found on the RFQ cover sheet or the DD Form 1155. If you datafax your quote, address your header to the buyer's name or e-mail address, and fax to the TACOM Network Server at datafax number 1-586-574-7788.

(ii) RFP and Sealed Bidding: Email your offer to: offers@tacom.army.mil If you datafax your proposal/bid, address your header to: offers@tacom.army.mil and fax to the TACOM Network fax Server at datafax number 1-586-574-5527.

(2) When datafaxing or emailing an offer, the submitted file cannot exceed 3.5 megabytes. Clearly state Quote, Offer, or Bid on your fax cover page or on the subject line of the e-mail. Use only one of the terms Quotation, Offer, or Bid depending on the solicitation type. Include your company name and annotate the proper internal TACOM address for proper internal routing.

(3) Authentication for datafax submission is verified by the offeror returned address. Quotes, Bids, or Offers may be sent via datafax using a personal computer or a standalone datafax machine. If you are submitting a datafax, a confirmation of receipt for TACOM-Warren will not be sent.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil . If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. For technical assistance in doing business with the Government, and doing business electronically, please visit the Procurement Technical Assistance Center Website at <http://www.sellingtothegovernment.net/index.asp> to find a location near you.

[End of Provision]

2	52.214-4003 (TACOM)	ALL OR NONE	MAR/1998
---	------------------------	-------------	----------

Offers in response to this solicitation must be submitted for the total quantity of the items identified in the solicitation.

(1) ONLY ONE AWARD WILL BE MADE AS A RESULT OF THIS SOLICITATION.

(2) OFFERS SUBMITTED FOR LESS THAN THE TOTAL QUANTITIES OF ALL THE ITEMS IN THIS SOLICITATION ARE INELIGIBLE FOR AWARD.

[End of clause]

(a) ACCEPTANCE PERIOD, as used in this provision, means the number of calendar days available to the Government for awarding a contract from the date specified in this solicitation for receipt of offers.

(b) The Government requires a minimum acceptance period of 120 calendar days.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 3 of 34
---------------------------	--	----------------------------

Name of Offeror or Contractor:

(c) In the space provided immediately below, offers may specify a longer acceptance period than the Government's minimum requirement.

The offeror allows the following acceptance period: _____ calendar days.

(d) An offer allowing less than the Government's minimum acceptance period may be rejected.

*** This is a small-business set-aside.***

*** END OF NARRATIVE A 001 ***

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																		
	SUPPLIES OR SERVICES AND PRICES/COSTS																						
0001	NSN: 6220-01-420-5986 FSCM: 19207 PART NR: 12420353-001 SECURITY CLASS: Unclassified																						
0001AA	<u>PRODUCTION QUANTITY</u> CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: STOP LIGHT-TAILLIGHT PRON: EH6Y7110EH PRON AMD: 01 AMS CD: 070011 <u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 12420353-001 DATE: 15-JUN-2006 <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE FOR DETAILS LEVEL PRESERVATION: Military LEVEL PACKING: B <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC SUPPL <table><tr><td><u>REL CD</u></td><td><u>MILSTRIP</u></td><td><u>ADDR</u></td><td><u>SIG CD</u></td><td><u>MARK FOR</u></td><td><u>TP CD</u></td></tr><tr><td>001</td><td>W56HZV6165T849</td><td>W25G1U</td><td>J</td><td></td><td>2</td></tr></table> <table><tr><td><u>DEL REL CD</u></td><td><u>QUANTITY</u></td><td><u>DAYS AFTER AWARD</u></td></tr><tr><td>001</td><td>165</td><td>0180</td></tr></table> FOB POINT: Destination SHIP TO: <u>FREIGHT ADDRESS</u> (W25G1U) SU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY 2001 MISSION DRIVE DOOR 113 134 NEW CUMBERLAND PA 17070-5001	<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>	001	W56HZV6165T849	W25G1U	J		2	<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DAYS AFTER AWARD</u>	001	165	0180	165	EA	\$ _____	\$ _____
<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>																		
001	W56HZV6165T849	W25G1U	J		2																		
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DAYS AFTER AWARD</u>																					
001	165	0180																					

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002	FSCM: 19207 PART NR: 12420353-001 SECURITY CLASS: Unclassified				
0002AA	<p><u>UNEXERCISED OPTION QUANTITY</u></p> <p>NOUN: STOP LIGHT-TAIL LIGHT</p> <p>OPTION QUANTITY, PURSUANT TO SECTION H OR I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY--- SEPARATELY PRICED LINE ITEM</p> <p>The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.</p> <p>The failure of the offeror to insert a unit price applicable to the option quantity shall mean that the offeror will supply all or any part of the option, if exercised by the Government, at the basic contract unit price, and the offer will be evaluated for award</p> <p>(End of narrative B001)</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 12420353-001 DATE: 15-JUN-2006</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE FOR DETAILS LEVEL PRESERVATION: Military LEVEL PACKING: B</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 <u>DEL REL CD QUANTITY DEL DATE</u> 001 165 UNDEFINITIZED</p> <p>FOB POINT: Destination</p>	165	EA	\$ _____	\$ _____

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SHIP TO: <u>FREIGHT ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 7 of 34
--------------------	---	--------------

Name of Offeror or Contractor:

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

3	52.211-4015	CONFIGURATION CONTROL - ENGINEERING CHANGES (TACOM)	DEC/2005
---	-------------	---	----------

- (a) DEFINITIONS:
- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (3) Value Engineering Change Proposal (VECP). A proposal that --
- (i) Requires a change to the instant contract; and
 - (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
 - (A) In deliverable end item quantities only;
 - (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
 - (C) To the contract type only.
- (4) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request once you realize that you desire to deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
- (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is N3.
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products or later versions: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
 - (ii) Files in Adobe PDF (Portable Document Format).
 - (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
 - (iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
- (d) Submittal Procedures for ECPs/VECPs/RFDs.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 8 of 34
Name of Offeror or Contractor:		

- (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
- (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

Email a copy of the contractor's request and ACO comments (DD Form 1998) to the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155. Indicate end item application (if known) in subject line, along with the NSN and contract number.

(f) Approval of ECPs, VECPS and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

4	52.211-4053 (TACOM)	REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES (CIODS)	MAR/2006
---	------------------------	--	----------

(a) The purchase description or Technical Data Package (TDP) for this contract incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this contract, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our website and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Specifications and standards affected are: MIL-DTL-53072 & V-T-285.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/acqinfo/ciods.html>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 9 of 34
Name of Offeror or Contractor:		

5 52.211-4072 TECHNICAL DATA PACKAGE INFORMATION JAN/2005
 (TACOM)

The following "X"d item applies to this solicitation:

[] There is no Technical Data Package (TDP) included with this solicitation.

[] The TDP for this solicitation is on a CD ROM and must be ordered. Ordering instructions can be obtained at Uniform Resource locator (URL): <http://contracting.tacom.army.mil/bidreq.htm>

[XX] This solicitation contains one, or, more Web located TDPs. If multiple Contract Line Item Numbers (CLINs) are listed, each one will have its own URL just under the CLIN listing. The URL will take you to that CLIN's Web located TDP. To access the TDP, you will have to copy or type the link's URL into your web browser address bar at the top of the screen.

Note: To copy a link from a .pdf file, click on the "Text Select Tool," then highlight the URL, copy and paste it into your browser, and hit the enter key.

CLIN: 0001AA & 0002AA

TDP Link (URL): <https://acms.tacom.army.mil/techdata/packages/6220/014205986/EH6Y7110EH/main.htm>

[End of Clause]

6 52.211-4008 DRAWING LIMITATIONS NOV/2005
 (TACOM)

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) You, the contractor, are responsible for obtaining all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

PACKAGING AND MARKING

7 52.211-4515 PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS) NOV/2005
 (TACOM)

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD</p>	<p align="right">Page 10 of 34</p>
---	--	---

Name of Offeror or Contractor:

(1) LEVEL OF PRESERVATION: Military

(2) LEVEL OF PACKING: B

(3) QUANTITY PER UNIT PACKAGE: 001

(4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK12420353

(a) REVISION N/A

(b) DATE OF REVISION As listed on SPI

(c) THE REQUIRED SPECIAL PACKAGING INSTRUCTION (SPI) IS AVAILABLE ON THE WEB AT THE FOLLOWING URL <https://www-tdps.tacom.army.mil/phst/SPI/01/50/95.pdf>

(Note: You must have the Adobe Acrobat reader installed on your PC to view the SPI. See the TACOM Acquisition Center web site (<http://contracting.tacom.army.mil/faq.htm>) for information on obtaining the latest version of the reader. If you're experiencing problems opening the Special Packaging Instructions in Adobe .PDF images using Internet Explorer, try the following: Go to "Tools," then "Internet Options." Click on the "Advanced" tab. Scroll down to the "Security" section. Uncheck "Do not save encrypted pages to disk." Click "Apply." Click "OK.")

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(3), dated 29 Oct. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. NOTE: Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."

(4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD) including the required Code 39 and 2D (PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD</p>	<p align="right">Page 11 of 34</p>
---	--	---

Name of Offeror or Contractor:

Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.

- (e) Hazardous Materials (As applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
- International Air Transport Association (IATA) Dangerous Goods Regulations
 - International Maritime Dangerous Goods Code (IMDG)
 - Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
 - Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.
- (g) SUPPLEMENTAL INSTRUCTIONS: N/A
- [End of Clause]

8	252.211-7003	ITEM IDENTIFICATION AND VALUATION (Alternate I version dated April 2005)	JUN/2005
---	--------------	--	----------

NOTE: Paragraph (a) comes after paragraphs (b) through (d) below. It was placed there because it's content is inconsequential as none of the definitions contained therein are used in this Alternate I version of this DFARS clause.

- (b) The Contractor shall deliver all items under a contract line, subline, or exhibit line item.
- (c) For each item delivered under a contract line, subline, or exhibit line item under paragraph (b) of this clause, in addition to the information provided as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the Contractor shall report the Governments unit acquisition cost.
- (d) The Contractor shall submit the information required by paragraph (c) of this clause in accordance with the data submission procedures at <http://www.acq.osd.mil/dpap/UID/DataSubmission.htm>.

(a) Definitions. As used in this clause--

"Automatic identification device" means a device, such as a reader or interrogator, used to retrieve data encoded on machine-readable media.

"Concatenated unique item identifier" means--

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 12 of 34
Name of Offeror or Contractor:		

(1) For items that are serialized within the enterprise identifier, the linking together of the unique identifier data elements in order of the issuing agency code, enterprise identifier, and unique serial number within the enterprise identifier; or

(2) For items that are serialized within the original part, lot, or batch number, the linking together of the unique identifier data elements in order of the issuing agency code; enterprise identifier; original part, lot, or batch number; and serial number within the original part, lot, or batch number.

"Data qualifier" means a specified character (or string of characters) that immediately precedes a data field that defines the general category or intended use of the data that follows.

"DoD recognized unique identification equivalent" means a unique identification method that is in commercial use and has been recognized by DoD. All DoD recognized unique identification equivalents are listed at <http://www.acq.osd.mil/dpap/UID/equivalents.html>.

"DoD unique item identification" means a system of marking items delivered to DoD with unique item identifiers that have machine-readable data elements to distinguish an item from all other like and unlike items. For items that are serialized within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier and a unique serial number. For items that are serialized within the part, lot, or batch number within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier; the original part, lot, or batch number; and the serial number.

"Enterprise" means the entity (e.g., a manufacturer or vendor) responsible for assigning unique item identifiers to items.

"Enterprise identifier" means a code that is uniquely assigned to an enterprise by an issuing agency.
 "Governments unit acquisition cost" means—

(1) For fixed-price type line, subline, or exhibit line items, the unit price identified in the contract at the time of delivery;

(2) For cost-type or undefinitized line, subline, or exhibit line items, the Contractors estimated fully burdened unit cost to the Government at the time of delivery; and

(3) For items produced under a time-and-materials contract, the Contractors estimated fully burdened unit cost to the Government at the time of delivery.

"Issuing agency" means an organization responsible for assigning a non-repeatable identifier to an enterprise (i.e., Dun & Bradstreets Data Universal Numbering System (DUNS) Number, Uniform Code Council (UCC) /EAN International (EAN) Company Prefix, or Defense Logistics Information System (DLIS) Commercial and Government Entity (CAGE) Code.

"Issuing agency code" means a code that designates the registration (or controlling) authority for the enterprise identifier.

"Item" means a single hardware article or a single unit formed by a grouping of subassemblies, components, or constituent parts.

"Lot or batch number" means an identifying number assigned by the enterprise to a designated group of items, usually referred to as either a lot or a batch, all of which were manufactured under identical conditions.

"Machine-readable" means an automatic identification technology media, such as bar codes, contact memory buttons, radio frequency identification, or optical memory cards.

"Original part number" means a combination of numbers or letters assigned by the enterprise at item creation to a class of items with the same form, fit, function, and interface.

"Parent item" means the item assembly, intermediate component, or subassembly that has an embedded item with a unique item identifier or DoD recognized unique identification equivalent.

"Serial number within the enterprise identifier" means a combination of numbers, letters, or symbols assigned by the enterprise to an item that provides for the differentiation of that item from any other like and unlike item and is never used again within the enterprise.

"Serial number within the part, lot, or batch number" means a combination of numbers or letters assigned by the enterprise to an item that provides for the differentiation of that item from any other like item within a part, lot, or batch number assignment.

"Serialization within the enterprise identifier" means each item produced is assigned a serial number that is unique among all the tangible items produced by the enterprise and is never used again. The enterprise is responsible for ensuring unique serialization

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD</p>	<p align="center">Page 13 of 34</p>
---	--	--

Name of Offeror or Contractor:

within the enterprise identifier.

"Serialization within the part, lot, or batch number" means each item of a particular part, lot, or batch number is assigned a unique serial number within that part, lot, or batch number assignment. The enterprise is responsible for ensuring unique serialization within the part, lot, or batch number within the enterprise identifier.

"Unique item identifier" means a set of data elements marked on items that is globally unique and unambiguous.

"Unique item identifier type" means a designator to indicate which method of uniquely identifying a part has been used. The current list of accepted unique item identifier types is maintained at http://www.acq.osd.mil/dpap/UID/uid_types.html.

[End of Clause]

9 252.211-7006 RADIO FREQUENCY IDENTIFICATION MAY/2006

Note: This clause requires contractors to affix passive (as defined in the clause) RFID tags at the case and palletized unit load level when shipping parts to the depots shown in paragraph b(1)(ii) below. Procurement Technical Assistance Centers (PTACs) <http://www.dla.mil/db/procurem.htm> can assist contractors with this new RFID requirement. Check with one in your region.

(a) Definitions. As used in this clause

Advance shipment notice means an electronic notification used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment.

Bulk commodities means the following commodities, when shipped in rail tank cars, tanker trucks, trailers, other bulk wheeled conveyances, or pipelines:

- (1) Sand.
- (2) Gravel.
- (3) Bulk liquids (water, chemicals, or petroleum products).
- (4) Ready-mix concrete or similar construction materials.
- (5) Coal or combustibles such as firewood.
- (6) Agricultural products such as seeds, grains, or animal feed.

Case means either a MIL-STD-129 defined exterior container within a palletized unit load or a MIL-STD-129 defined individual shipping container.

Electronic Product Code\'99 (EPC) means an identification scheme for universally identifying physical objects via RFID tags and other means. The standardized EPC data consists of an EPC (or EPC identifier) that uniquely identifies an individual object, as well as an optional filter value when judged to be necessary to enable effective and efficient reading of the EPC tags. In addition to this standardized data, certain classes of EPC tags will allow user-defined data. The EPC tag data standards will define the length and position of this data, without defining its content.

EPCglobal\'99 means a joint venture between EAN International and the Uniform Code Council to establish and support the EPC network as the global standard for immediate, automatic, and accurate identification of any item in the supply chain of any company, in any industry, anywhere in the world.

Exterior container means a MIL-STD-129 defined container, bundle, or assembly that is sufficient by reason of material, design, and construction to protect unit packs and intermediate containers and their contents during shipment and storage. It can be a unit pack or a container with a combination of unit packs or intermediate containers. An exterior container may or may not be used as a shipping container.

Palletized unit load means a MIL-STD-129 defined quantity of items, packed or unpacked, arranged on a pallet in a specified manner and secured, strapped, or fastened on the pallet so that the whole palletized load is handled as a single unit. A palletized or skidded load is not considered to be a shipping container. A loaded 463L System pallet is not considered to be a palletized unit load. Refer to the Defense Transportation Regulation, DoD 4500.9-R, Part II, Chapter 203, for marking of 463L System pallets.

Passive RFID tag means a tag that reflects energy from the reader/interrogator or that receives and temporarily stores a small amount of energy from the reader/interrogator signal in order to generate the tag response.

- (1) Until September 30, 2006, the acceptable tags are
 - (i) EPC Class 0 passive RFID tags that meet the EPCglobal Class 0 specification; and
 - (ii) EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 specification. This includes both the Generation 1 and Generation 2 Class 1 specifications.
- (2) Beginning October 1, 2006, the only acceptable tags are EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 Generation 2 specification. Class 0 and Class 1 Generation 1 tags will no longer be accepted after September 30, 2006.

Radio Frequency Identification (RFID) means an automatic identification and data capture technology comprising one or more reader/interrogators and one or more radio frequency transponders in which data transfer is achieved by means of suitably modulated inductive or radiating electromagnetic carriers.

Shipping container means a MIL-STD-129 defined exterior container that meets carrier regulations and is of sufficient strength, by reason of material, design, and construction, to be shipped safely without further packing (e.g., wooden boxes or crates, fiber and metal drums, and corrugated and solid fiberboard boxes).

(b)(1) Except as provided in paragraph (b)(2) of this clause, the Contractor shall affix passive RFID tags, at the case and

<div>CONTINUATION SHEET</div>	<div>Reference No. of Document Being Continued</div> <div> <div>PIIN/SIIN W56HZV-06-Q-1069</div> <div>MOD/AMD</div> </div>	<div>Page 14 of 34</div>
-------------------------------	--	--------------------------

Name of Offeror or Contractor:

palletized unit load packaging levels, for shipments of items that

(i) Are in any of the following classes of supply, as defined in DoD 4140.1-R, DoD Supply Chain Materiel Management Regulation, AP1.1.11:

(A) Subclass of Class I Packaged operational rations.

(B) Class II Clothing, individual equipment, tentage, organizational tool kits, hand tools, and administrative and housekeeping supplies and equipment.

(C) Class IIIP Packaged petroleum, lubricants, oils, preservatives, chemicals, and additives.

(D) Class IV Construction and barrier materials.

(E) Class VI Personal demand items (non-military sales items).

(F) Subclass of Class VIII Medical materials (excluding pharmaceuticals, biologicals, and reagents).

(G) Class IX Repair parts and components including kits, assemblies and subassemblies, reparable and consumable items required for maintenance support of all equipment, excluding medical-peculiar repair parts; and

(ii) Are being shipped to any of the following locations:

(A) Defense Distribution Depot, Susquehanna, PA: DoDAAC W25G1U or SW3124.

(B) Defense Distribution Depot, San Joaquin, CA: DoDAAC W62G2T or SW3224.

(C) Defense Distribution Depot, Albany, GA: DoDAAC SW3121.

(D) Defense Distribution Depot, Anniston, AL: DoDAAC W31G1Z or SW3120.

(E) Defense Distribution Depot, Barstow, CA: DoDAAC SW3215.

(F) Defense Distribution Depot, Cherry Point, NC: DoDAAC SW3113.

(G) Defense Distribution Depot, Columbus, OH: DoDAAC SW0700.

(H) Defense Distribution Depot, Corpus Christi, TX: DoDAAC W45H08 or SW3222.

(I) Defense Distribution Depot, Hill, UT: DoDAAC SW3210.

(J) Defense Distribution Depot, Jacksonville, FL: DoDAAC SW3122.

(K) Defense Distribution Depot, Oklahoma City, OK: DoDAAC SW3211.

(L) Defense Distribution Depot, Norfolk, VA: DoDAAC SW3117.

(M) Defense Distribution Depot, Puget Sound, WA: DoDAAC SW3216.

(N) Defense Distribution Depot, Red River, TX: DoDAAC W45G19 or SW3227.

(O) Defense Distribution Depot, Richmond, VA: DoDAAC SW0400.

(P) Defense Distribution Depot, San Diego, CA: DoDAAC SW3218.

(Q) Defense Distribution Depot, Tobyhanna, PA: DoDAAC W25G1W or SW3114.

(R) Defense Distribution Depot, Warner Robins, GA: DoDAAC SW3119.

(S) Air Mobility Command Terminal, Charleston Air Force Base, Charleston, SC: Air Terminal Identifier Code CHS.

(T) Air Mobility Command Terminal, Naval Air Station, Norfolk, VA: Air Terminal Identifier Code NGU.

(U) Air Mobility Command Terminal, Travis Air Force Base, Fairfield, CA: Air Terminal Identifier Code SUU.

(2) Bulk commodities are excluded from the requirements of paragraph (b)(1) of this clause.

(c) The Contractor shall ensure that

(1) The data encoded on each passive RFID tag are unique (i.e., the binary number is never repeated on any and all contracts) and conforms to the requirements in paragraph (d) of this clause;

(2) Each passive tag is readable; and

(3) The passive tag is affixed at the appropriate location on the specific level of packaging, in accordance with MIL-STD-129 (Section 4.9.2) tag placement specifications.

(d) Data syntax and standards. The Contractor shall encode an approved RFID tag using the instructions provided in the most recent EPC\‘99 Tag Data Standards document, available at http://www.epcglobalinc.org/standards_technology/specifications.html.

(1) If the Contractor is an EPCglobal\‘99 subscriber and possesses a unique EPC\‘99 company prefix, the Contractor may use any of the identity types and encoding instructions described in the most recent EPC\‘99 Tag Data Standards document to encode tags.

(2) If the Contractor chooses to employ the DoD Identity Type, the Contractor shall use its previously assigned Commercial and Government Entity (CAGE) Code and shall encode the tags in accordance with the tag identity type details located at http://www.acq.osd.mil/log/rfid/tag_data.htm. If the Contractor uses a third party packaging house to encode its tags, the CAGE code of the third party packaging house is acceptable.

(3) Regardless of the selected encoding scheme, the Contractor is responsible for ensuring that each tag contains a globally unique identifier.

(e) Receiving report. The Contractor shall electronically submit advance shipment notice(s) with the RFID tag identification (specified in paragraph (d) of this clause) in advance of the shipment in accordance with the procedures at http://www.acq.osd.mil/log/rfid/advance_shipment_ntc.htm.

(End of clause)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 15 of 34
Name of Offeror or Contractor:		

INSPECTION AND ACCEPTANCE

10	52.246-2	INSPECTION OF SUPPLIES--FIXED-PRICE	AUG/1996
11	52.246-15	CERTIFICATE OF CONFORMANCE	APR/1984

(a) When authorized in writing by the cognizant Contract Administration Office (CAO), the Contractor shall ship with a Certificate of Conformance any supplies for which the contract would otherwise require inspection at source. In no case shall the Government's right to inspect supplies under the inspection provisions of this contract be prejudiced. Shipments of such supplies will not be made under this contract until use of the Certificate of Conformance has been authorized in writing by the CAO, or inspection or inspection and acceptance have occurred.

(b) The Contractor's signed certificate shall be attached to or included on the top copy of the inspection or receiving report distributed to the payment office or attached to the CAO copy when contract administration (Block 10 of the DD Form 250) is performed by the Defense Contract Administration Services. In addition, a copy of the signed certificate shall also be attached to or entered on copies of the inspection or receiving report accompanying the shipment.

(c) The Government has the right to reject defective supplies or services within a reasonable time after delivery by written notification to the Contractor. The Contractor shall in such event promptly replace, correct, or repair the rejected supplies or services at the Contractor's expense.

(d) The certificate shall read as follows:

I certify that on ____ (date) ____, the ____ (insert Contractor's name) ____ furnished the supplies or services called for by Contract number ____ via ____ (Carrier) ____ on ____ (Identify the bill of lading or shipping document) ____ in accordance with all applicable requirements. I further certify that the supplies or services are of the quantity specified and conform in all respects with the contract requirements, including specifications, drawings, preservation, packaging, packing, marking requirements, and physical item identification (part number), and are in the quantity shown on this or on the attached acceptance document.

Date of Execution: _____

Signature: _____

Title: _____

[End of Clause]

12	52.211-4016 (TACOM)	CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS, GALVANIZED AND ALUMINUM SURFACES	DEC/2005
----	------------------------	--	----------

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1, zinc phosphate system per TT-C-490. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490.

Corrosion resistance tests on steel substrates will be conducted on a monthly basis using two test coupons. This test frequency shall begin once the process has been found to be in statistical control.

Unless otherwise specified, MIL-P-53022 and -53030 primers on steel substrates shall be salt spray tested for 336 hours (ASTM B117). All electrocoat primers on steel substrates shall be tested for 1000 hours. Test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. All TT-C-490E (Type I) zinc phosphate pretreatment systems must be documented and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490 shall be available for review at the applicator's facility.

The prime contractor shall notify the procuring activity no less than 45 days prior to start of pretreatment and painting that the procedure is available for review and approval. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification.

Re-qualification of the process shall be required if the process is changed outside the limits defined in the TACOM letter of

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069MOD/AMD	Page 16 of 34
Name of Offeror or Contractor:		

system approval provided to the application facility.

Note: Zinc phosphate systems for galvanized surfaces require different controls than those for steel. Hot dipped galvanized surfaces are highly prone to chloride contamination from the galvanizing flux process. This contaminant must be removed prior to pretreatment for the coating system to pass these performance tests. The test coupons must duplicate the production painting process as closely as possible. If production is force cured, test coupons shall be cured in an identical manner.

(b) Qualification and control of pretreatment systems for galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P rather than salt spray. Test coupons with pretreatment and primer only shall be cured for seven days, and then scribed through the primer to the substrate. After 40 cycles of test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, both parallel and perpendicular to the scribe after removal from the test chamber for coupon evaluation. There shall be no more than 3 mm of corrosion, blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with none greater than 1 mm diameter. This test shall be performed at three month intervals (two test coupons) to ensure that the process remains in control.

(c) Aluminum substrates require a chromate conversion coating per MIL-C-5541E (or alternate, see note below). If any other alternate pretreatment is considered, it must pass 120 cycles of GM9540P with a design of experiments test matrix approved by the procuring activity. After completion of the cyclic salt environment exposure, the panels shall be scraped as described above, and shall have no more than 0.5 mm paint loss (creep-back) from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm diameter. After completion of the 120 cycle corrosion resistance test evaluation, each test panel will be subjected to cross hatch tape test (ASTM D3359, method b 6 cut pattern. minimum tape adhesion rating of 45 oz. per inch of width) and shall be done no closer than 12 mm from any panel edge or the scribe. The removal of two or more complete squares of primer shall constitute failure. Any alternate system must demonstrate its ability to pass both corrosion and adhesion tests on 5 consecutive days of production to be considered acceptable.

For information purposes:

Note: The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700. Documented process controls shall be established which comply with the manufacturer's technical bulletin. Spray-to-waste systems will require fewer process controls than an immersion process.

(d) The use of TT-C-490E Type III: Vinyl Wash Primer (DOD-P-15328) has hexavalent chromium content and high VOC level. Bonderite 7400 is an approved, environmentally friendly alternative for wash primer. The application and control process shall be documented. This product is subject to the same salt spray requirements as a zinc phosphated product. The number of process controls for this product is dependent upon its method of application. The specific controls shall be in agreement with the product manufacturer's technical bulletin to provide the level of performance required for zinc phosphated substrates. Spray-to-waste applications will require fewer process controls than an immersion process.

(e) Acceptance of production painted parts is contingent upon the painted surface meeting the dry film thickness and cross hatch adhesion requirements. The CARC painted surface shall be free of any blisters, pores or coverage voids.

1352.211-4030BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENTDEC/2005

(TACOM)RESISTANT COATINGS (CARC) ON METALLIC SURFACES

(a) Scope: The requirements contained herein apply whenever any CARC topcoats and primers as specified in MIL-DTL-53072 are cited in the contract.

(b) CARC Primers: Select Army Research Laboratories (ARL) approved powder coat primers can also be used as a replacement for liquid primers such as MIL-P-53022 and MIL-P-53030 primers. Any part that has rust, mill scale, or any other surface contamination must be cleaned prior to the application of any coating IAW TT-C-490.

(c) End-Item Inspection. After the complete paint finish has been applied and cured* (see note below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited.

At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall be the sum of the minimum and maximum thicknesses for individual elements of the paint finish as specified in MIL-DTL-53072. The specific number of test locations shall be agreed to by the Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld.
- (2) On or directly adjacent to a machine cut or sheared edge.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 17 of 34
---------------------------	--	----------------------

Name of Offeror or Contractor:

- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the Government quality assurance representative before the test is conducted.

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required topcoat so that the tested area conforms to the requirements total DFT specified in MIL-DTL-53072.

*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees Fahrenheit for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F minimum.

(d) Test Methods:

(1) The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. Shall be IAW ASTM D 3359 Method B, six (6) cut pattern.

(e) Acceptance Criteria:

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 95% of the surfaces shall meet the minimum and maximum, cumulative dry film thickness requirements. Failure of this test shall result in rejection of the production lot that it represents.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment combination constitutes failure and the production lot is rejected. Removal of overspray does not constitute test failure.

(f) CHEMICAL AGENT RESISTANT COATING (CARC) ON WOOD COMPONENTS.

(1) Wood shall be treated and painted IAW MIL-DTL-53072 section 3.3.4. After treatment, the wood shall provide a paintable surface as described by the paint-ability requirements of Spec TT-W-572, except that the wood species, treatment, and paint shall be the same as furnished for this contract.

(2) After demonstrating that the paint adhesion requirements are met, and Government inspection/acceptance of this item has occurred, any subsequent flaking and peeling of paint from the wood shall not be considered a defect unless the Government establishes that the flaking and/or peeling of the paint was caused by defective workmanship in the application of the paint or the preparation of the painted surface.

[End of Clause]

14 52.242-4008 ROUTING OF SPECIAL PROCESS APPROVALS DEC/2005
 (TACOM)

1. The Technical Data Package for this contract contains one or more of the following specifications:

MIL-DTL-16232	Phosphate Coating, Heavy, Manganese or Zinc Base
TT-C-490	Chemical Conversion Coatings and Pretreatment for Ferrous Surfaces (Base for Organic Coatings)
MIL-W-12332	Welding Resistance, Spot: Weldable Aluminum Alloys
MIL-W-45210	Welding Resistance, Spot: Weldable Aluminum Alloys
*Drawing 12479550	Ground Combat Vehicle Welding Code - Steel
*Drawing 12472301	Ground Combat Vehicle Welding Code - Aluminum

* If these drawings are not available with your procurement package, you are referred to the TACOM Procurement Network for access to the documents at the following website address: http://contracting.tacom.army.mil/engr/gcv_weldingcodes.htm

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 18 of 34
Name of Offeror or Contractor:		

2. The specifications listed in paragraph 1 may require you to get approval from the Government prior to production for one or more special processes involved in producing the item. The following shall apply, unless stated elsewhere in the contract:
- a. You shall prepare the written procedures as the specification requires.
 - b. Procedures requiring Government approval shall be routed to the Administrative Contracting Officer (ACO) for review and approval. If the ACO is unable to perform a review, the ACO shall forward the procedure to the Procuring Contracting Officer (PCO) for assistance in the review and approval process. The correct address for the PCO is on the face page of this contract.
 - c. You shall cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.
 - d. The DCMA will provide a copy of their approval/rejection notices to the PCO.
 - e. DCMA is required to qualify the processes of the major coating subcontractors used by the prime contractors.

[End of Clause]

15	52.246-4028 (TACOM)	INSPECTION AND ACCEPTANCE POINTS: ORIGIN	NOV/2005
----	------------------------	--	----------

The Government's inspection and acceptance of the supplies offered under this contract/purchase order shall take place at ORIGIN. Offeror must specify below the exact name, address, and CAGE of the facility where supplies to be furnished under this contract/purchase order will be available for inspection/acceptance.

INSPECTION POINT: _____

(Name)	(CAGE)	
--------	--------	--

(Address)	(City)	(State)	(Zip)
-----------	--------	---------	-------

ACCEPTANCE POINT: _____

(Name)	(CAGE)	
--------	--------	--

(Address)	(City)	(State)	(Zip)
-----------	--------	---------	-------

DELIVERIES OR PERFORMANCE

- | | | | |
|----|------------------------|-------------------------------|----------|
| 16 | 52.211-17 | DELIVERY OF EXCESS QUANTITIES | SEP/1989 |
| 17 | 52.242-4022
(TACOM) | DELIVERY SCHEDULE | DEC/2005 |
- (a) DEFINITIONS:
- (1) CLIN means Contract Line Item Number, and refers to the contract items listed in Section B of this document.
 - (2) DAYS means the number of days after the date of contract award when you must deliver the stated quantity (QTY) of supplies.
 - (3) DELIVERY is defined as follows:
 - (i) FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual contract; or
 - (ii) FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual contract. The contractor must take into consideration the length of time necessary to deliver its shipment

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD</p>	<p align="center">Page 19 of 34</p>
---	--	--

Name of Offeror or Contractor:

to the destination designated in the contract, to ensure that the item reaches its destination by the time reflected in the contract.

(b) The Government's proposed delivery schedule is:

<u>CLIN</u>	<u>DAYS</u>	<u>QUANTITY</u>
0001AA	180	165
0002AA	UNDEFINITIZED	

(c) If the successful offeror is granted a waiver of the First Article Test requirement, as contained in Section E, the proposed delivery schedule in the resulting contract shall be accelerated by N/A days, to reflect the removal of leadtime originally included in the delivery schedule to provide for manufacturing, testing, and approval of the first article.

(d) You can accelerate delivery: at no additional cost to the government.

(e) Proposing an accelerated delivery schedule will not prejudice your offer. However, if you propose a delivery schedule longer than the schedule listed above, your offer may be determined unacceptable for award.

(f) CONTRACTOR'S PROPOSED SCHEDULE:

(1) I WILL START DELIVERIES _____ DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, _____ DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.

(2) I WILL DELIVER A QUANTITY OF _____ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF _____ UNITS EVERY 30 DAYS.

[End of Clause]

18 52.247-48 F.O.B. DESTINATION--EVIDENCE OF SHIPMENT (DEVIATION) FEB/1999

(a) If this contract is awarded on an f. o. b. destination basis, and if transportation is accomplished by common carrier, parcel post, or other than common carrier, the Contractor agrees not to invoice until the supplies are shipped, and to retain the following evidence of shipment (EOS) documentation for a period of 4 years after completion of the contract.

(1) If transportation is accomplished by common carrier, the Contractor will retain a signed copy of the commercial bill of lading of the supplies covered by the invoice, indicating the carrier's intent to ship said supplies to the destination specified in the contract.

(2) If transportation is accomplished by parcel post, the Contractor will retain a copy of the mailing certificate, or

(3) If transportation is by other than common carrier or parcel post, the Contractor will retain the receipt copy of the appropriate delivery document showing receipt at the destination in the contract.

(b) Retention of the above EOS documentation and having the documentation available for subsequent review, if needed, eliminates the requirement to provide these documents with the Contractor's paper, or electronically transmitted, invoices.

(End, of clause)

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 20 of 34
	PIIN/SIIN W56HZV-06-Q-1069	MOD/AMD	

Name of Offeror or Contractor:

CONTRACT ADMINISTRATION DATA

19	252.232-7003	ELECTRONIC SUBMISSION OF PAYMENT REQUESTS	JAN/2004
20	252.204-7006	BILLING INSTRUCTIONS	OCT/2005

When submitting a request for payment, the Contractor shall--

- (a) Identify the contract line item(s) on the payment request that reasonably reflect contract work performance; and
- (b) Separately identify a payment amount for each contract line item included in the payment request.

[End of Clause]

21	52.204-4011 (TACOM)	PAYMENT INSTRUCTIONS FOR THE DEFENSE FINANCE AND ACCOUNTING SERVICE (DFAS)	OCT/2005
----	------------------------	---	----------

In accordance with DFARS PGI 204.7108, the contract shall be paid in accordance with DFARS PGI 204.7108(d)(5), line item specific by cancellation date.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 21 of 34
--------------------	---	---------------

Name of Offeror or Contractor:

SPECIAL CONTRACT REQUIREMENTS

22	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	JUN/2005
23	52.217-4001 (TACOM)	SEPARATELY PRICED OPTION FOR INCREASED QUANTITY	APR/1997

(a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 165 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA. This option may be exercised by the Government at any time, but in any event not later than 180 days after AWARD. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.

(b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.

(c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

24	52.204-4005	REQUIRED USE OF ELECTRONIC CONTRACTING	SEP/2004
----	-------------	--	----------

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/> . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: <http://contracting.tacom.army.mil/awd.htm>
Rock Island: <https://aais.ria.army.mil/AAIS/AWDINFO/index.htm>
Picatinny: <http://procnet.pica.army.mil/dbi/DynCBD/award.cfm>
Red River Army Depot: <http://www.redriver.army.mil/contractingframes/RecentAwards.DPD.cfm>
Anniston Army Depot: <http://www.anadprocnet.army.mil/>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/dpap/ebiz/VANs.htm> . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Please go to the following webpage for detailed information about submitting your offer electronically: <http://contracting.tacom.army.mil/ebidnotice.htm>

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 22 of 34
--------------------	---	---------------

Name of Offeror or Contractor:

25	52.246-4026 (TACOM)	LOCAL ADDRESSES FOR DD FORM 250	MAR/2005
----	------------------------	---------------------------------	----------

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: DD250@tacom.army.mil. If Wide Area Workflow (WAWF) is used, the .pdf format version of the Material Inspection and Receiving Report from WAWF will be submitted.

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 574-7788 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://www.dtic.mil/whs/directives/infomgt/forms/forminfo/forminfo2126.html>

[End of Clause]

CONTRACT CLAUSES

26	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
27	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
28	52.222-3	CONVICT LABOR	JUN/2003
29	52.222-19	CHILD LABOR--COOPERATION WITH AUTHORITIES AND REMEDIES	JAN/2006
30	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
31	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	MAR/2005
32	52.227-1	AUTHORIZATION AND CONSENT	JUL/1995
33	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
34	52.232-23 (ALT 1)	ASSIGNMENT OF CLAIMS (Alternate I version dated April 1984)	JAN/1986
35	52.233-4	APPLICABLE LAW FOR BREACH OF CONTRACT CLAIM	OCT/2004
36	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	NOV/2005
37	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	MAR/2006
38	252.232-7010	LEVIES ON CONTRACT PAYMENTS	SEP/2005
39	52.204-4006 (TACOM)	INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED ACQUISITIONS AND DESIGNATION OF F.O.B. POINT	MAY/2000

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

(b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: <http://contracting.tacom.army.mil/opportunity.htm>

(c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.

(d) We hereby specify that the required F.O.B. point for this acquisition is DESTINATION.

(e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 23 of 34
Name of Offeror or Contractor:		

40 52.204-7 CENTRAL CONTRACTOR REGISTRATION OCT/2003

(a) Definitions. As used in this clause--

"Central Contractor Registration (CCR) database" means the primary Government repository for contractor information required for the conduct of business with the Government.

"Commercial and Government Entity (CAGE) code" means-

(1) A code assigned by the Defense Logistics Information Service (DLIS) to identify a commercial or Government entity; or

(2) A code assigned by a member of the North Atlantic Treaty Organization that DLIS records and maintains in the CAGE master file. This type of code is known as an "NCAGE code."

"Data Universal Numbering System (DUNS) number" means the 9-digit number assigned by Dun and Bradstreet, Inc. (D&B) to identify unique business entities.

"Data Universal Numbering System +4 (DUNS+4) number" means the DUNS number assigned by D&B plus a 4-character suffix that may be assigned by a business concern. (D&B has no affiliation with this 4-character suffix.) This 4-character suffix may be assigned at the discretion of the business concern to establish additional CCR records for identifying alternative Electronic Funds Transfer (EFT) accounts (see Subpart 32.11 of the Federal Acquisition Regulation) for the same parent concern.

"Registered in the CCR database" means that-

(1) The Contractor has entered all mandatory information, including the DUNS number or the DUNS+4 number, into the CCR database;

(2) The Contractor's CAGE code is in the CCR database; and

(3) The Government has validated all mandatory data fields and has marked the records "Active."

(b)

(1) By submission of an offer, the offeror acknowledges the requirement that a prospective awardee shall be registered in the CCR database prior to award, during performance, and through final payment of any contract, basic agreement, basic ordering agreement, or blanket purchasing agreement resulting from this solicitation.

(2) The offeror shall enter, in the block with its name and address on the cover page of its offer, the annotation DUNS or DUNS+4 followed by the DUNS or DUNS+4 number that identifies the offerors name and address exactly as stated in the offer. The DUNS number will be used by the Contracting Officer to verify that the offeror is registered in the CCR database.

(c) If the offeror does not have a DUNS number, it should contact Dun and Bradstreet directly to obtain one.

(1) An offeror may obtain a DUNS number

(i) If located within the United States, by calling Dun and Bradstreet at 1-866-705-5711 or via the Internet at <http://www.dnb.com/> ; or

(ii) If located outside the United States, by contacting the local Dun and Bradstreet office.

(2) The offeror should be prepared to provide the following information:

(i) Company legal business name.

(ii) Tradestyle, doing business, or other name by which your entity is commonly recognized.

(iii) Company physical street address, city, state and Zip Code.

(iv) Company mailing address, city, state and Zip Code (if separate from physical).

(v) Company telephone number.

(vi) Date the company was started.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 24 of 34
Name of Offeror or Contractor:		

(vii) Number of employees at your location.

(viii) Chief executive officer/key manager.

(ix) Line of business (industry).

(x) Company Headquarters name and address (reporting relationship within your entity).

(d) If the Offeror does not become registered in the CCR database in the time prescribed by the Contracting Officer, the Contracting Officer will proceed to award to the next otherwise successful registered Offeror.

(e) Processing time, which normally takes 48 hours, should be taken into consideration when registering. Offerors who are not registered should consider applying for registration immediately upon receipt of this solicitation.

(f) The Contractor is responsible for the accuracy and completeness of the data within the CCR database, and for any liability resulting from the Governments reliance on inaccurate or incomplete data. To remain registered in the CCR database after the initial registration, the Contractor is required to review and update on an annual basis from the date of initial registration or subsequent updates its information in the CCR database to ensure it is current, accurate and complete. Updating information in the CCR does not alter the terms and conditions of this contract and is not a substitute for a properly executed contractual document.

(1)

(i) If a Contractor has legally changed its business name, doing business as name, or division name (whichever is shown on the contract), or has transferred the assets used in performing the contract, but has not completed the necessary requirements regarding novation and change-of-name agreements in Subpart 42.12, the Contractor shall provide the responsible Contracting Officer a minimum of one business days written notification of its intention to:

(A) Change the name in the CCR database;

(B) Comply with the requirements of Subpart 42.12 of the FAR;

(C) Agree in writing to the timeline and procedures specified by the responsible Contracting Officer.
The Contractor must provide with the notification sufficient documentation to support the legally changed name.

(ii) If the Contractor fails to comply with the requirements of paragraph (g)(1)(i) of this clause, or fails to perform the agreement at paragraph (g)(1)(i)(C) of this clause, and, in the absence of a properly executed novation or change-of-name agreement, the CCR information that shows the Contractor to be other than the Contractor indicated in the contract will be considered to be incorrect information within the meaning of the Suspension of Payment paragraph of the electronic funds transfer (EFT) clause of this contract.

(2) The Contractor shall not change the name or address for EFT payments or manual payments, as appropriate, in the CCR record to reflect an assignee for the purpose of assignment of claims (see FAR Subpart 32.8, Assignment of Claims). Assignees shall be separately registered in the CCR database. Information provided to the Contractors CCR record that indicates payments, including those made by EFT, to an ultimate recipient other than that Contractor will be considered to be incorrect information within the meaning of the Suspension of payment paragraph of the EFT clause of this contract.

(g) Offerors and Contractors may obtain information on registration and annual confirmation requirements via the Internet at <http://www.ccr.gov/> or by calling 1-888-227-2423, or 269-961-5757.

41 252.223-7001 HAZARD WARNING LABELS

DEC/1991

(a) Hazardous material, as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.

(b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labelling requirements of one of the following statutes:

(1) Federal Insecticide, Fungicide and Rodenticide Act;

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 25 of 34
--------------------	---	---------------

Name of Offeror or Contractor:

- (2) Federal Food, Drug and Cosmetics Act;
- (3) Consumer Product Safety Act;
- (4) Federal Hazardous Substances Act; or
- (5) Federal Alcohol Administration Act.

(c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labelled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the Hazard Communication Standard.

<u>MATERIAL (If None, Insert None.)</u>	<u>ACT</u>

(d) The apparently successful Offeror agrees to submit, before award, a copy of the hazard warning label for all hazardous materials not listed in paragraph (c) of this clause. The Offeror shall submit the label with the Material Safety Data Sheet being furnished under the Hazardous Material Identification and Material Safety Data clause of this contract.

(e) The Contractor shall also comply with MIL-STD-129, Marking for Shipment and Storage (including revisions adopted during the term of this contract).

[End of Clause]

42 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002) MAY/2002

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)

(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.

<p>CONTINUATION SHEET</p>	<p>Reference No. of Document Being Continued</p> <p>PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD</p>	<p>Page 26 of 34</p>
----------------------------------	---	-----------------------------

Name of Offeror or Contractor:

(2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-

(i) This contract is a construction contract; or

(ii) The supplies being transported are-

(A) Noncommercial items; or

(B) Commercial items that-

(1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

(1) U.S.-flag vessels are not available for timely shipment;

(2) The freight charges are inordinately excessive or unreasonable; or

(3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

(1) Type, weight, and cube of cargo;

(2) Required shipping date;

(3) Special handling and discharge requirements;

(4) Loading and discharge points;

(5) Name of shipper and consignee;

(6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

(1) Prime contract number;

(2) Name of vessel;

(3) Vessel flag of registry;

(4) Date of loading;

(5) Port of loading;

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 27 of 34
---------------------------	--	----------------------

Name of Offeror or Contractor:

- (6) Port of final discharge;
- (7) Description of commodity;
- (8) Gross weight in pounds and cubic feet if available;
- (9) Total ocean freight in U.S. dollars; and
- (10) Name of the steamship company.

(f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

43 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION MAR/2005
(TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the website:
<http://contracting.tacom.army.mil/ebidnotice.htm>

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

44 52.247-4458 GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION SEP/2000
(TACOM)

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package:

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length_____ x Width_____ x Depth _____(expressed in inches)/Weight expressed in _____ pounds

(2) Shipping Container:

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 28 of 34
---------------------------	--	----------------------

Name of Offeror or Contractor:

Length, ____ x Width, ____ x Height,____ (expressed in feet and inches)

(ii) Number of unit packages per shipping container ____ each

(iii) Gross weight of Shipping container and contents _____ Lbs.

(3) Unitized Loads:

(i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [] No []; describe: ____ .

(ii) Number of Shipping containers per pallet/skid ____ each.

(iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials _____ Lbs

(iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:

Length, ____ x Width, ____ x Height,____ (expressed in feet and inches)

(v) Gross Weight of Unit Load _____ Lbs;

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 29 of 34
---------------------------	--	----------------------

Name of Offeror or Contractor:

REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF OFFERORS

45 52.204-8 ANNUAL REPRESENTATIONS AND CERTIFICATIONS JAN/2006

- (a)
- (1) The North American Industry Classification System (NAICS) code for this acquisition is 336399.
- (2) The small business size standard is 750.
- (3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

- (b)
- (1) If the clause at 52.204-7, Central Contractor Registration, is included in this solicitation, paragraph (c) of this provision applies.

- (2) If the clause at 52.204-7 is not included in this solicitation, and the offeror is currently registered in CCR, and has completed the ORCA electronically, the offeror may choose to use paragraph (c) of this provision instead of completing the corresponding individual representations and certifications in the solicitation. The offeror shall indicate which option applies by checking one of the following boxes:

- [] (i) Paragraph (c) applies.
- [] (ii) Paragraph (c) does not apply and the offeror has completed the individual representations and certifications in the solicitation.

(c) The offeror has completed the annual representations and certifications electronically via the Online Representations and Certifications Application (ORCA) website at <http://orca.bpn.gov>. After reviewing the ORCA database information, the offeror verifies by submission of the offer that the representations and certifications currently posted electronically have been entered or updated within the last 12 months, are current, accurate, complete, and applicable to this solicitation (including the business size standard applicable to the NAICS code referenced for this solicitation), as of the date of this offer and are incorporated in this offer by reference (see FAR 4.1201); except for the changes identified below [offeror to insert changes, identifying change by clause number, title, date]. These amended representation(s) and/or certification(s) are also incorporated in this offer and are current, accurate, and complete as of the date of this offer.

<u>FAR Clause</u>	<u>Title</u>	<u>Date</u>	<u>Change</u>
-------------------	--------------	-------------	---------------

Any changes provided by the offeror are applicable to this solicitation only, and do not result in an update to the representations and certifications posted on ORCA.

46 52.207-4 ECONOMIC PURCHASE QUANTITY -- SUPPLIES AUG/1987

- (a) Offerors are invited to state an opinion on whether the quantity(ies) of supplies on which bids, proposals, or quotations are requested in this solicitation is (are) economically advantageous to the Government.

- (b) Each offeror who believes that acquisitions in different quantities would be more advantageous is invited to recommend an economic purchase quantity. If different quantities are recommended, a total and a unit price must be quoted for applicable items. An economic purchase quantity is that quantity at which a significant price break occurs. If there are significant price breaks at different quantity points, this information is desired as well.

Name of Offeror or Contractor:

<u>ITEM</u>	<u>QUANTITY</u>	<u>PRICE QUOTATION</u>	<u>TOTAL</u>
_____	_____	_____	_____
_____	_____	_____	_____

(c) The information requested in this provision is being solicited to avoid acquisitions in disadvantageous quantities and to assist the Government in developing a data base for future acquisitions of these items. However, the Government reserves the right to amend or cancel the solicitation and resolicit with respect to any individual item in the event quotations received and the Government's requirements indicate that different quantities should be acquired.

[End of Provision]

47	252.225-7000	BUY AMERICAN ACT - BALANCE OF PAYMENTS PROGRAM CERTIFICATE	JUN/2005
----	--------------	--	----------

(a) Definitions. "Domestic end product," "foreign end product," "qualifying country," "qualifying country end product," and "United States" have the meanings given in the Buy American Act and Balance of Payments Program clause of this solicitation.

(b) Evaluation. The Government-

(1) Will evaluate offers in accordance with the policies and procedures of Part 225 of the Defense Federal Acquisition Regulation Supplement; and

(2) Will evaluate offers of qualifying country end products without regard to the restrictions of the Buy American Act or the Balance of Payments Program.

(c) Certifications and identification of country of origin.

(1) For all line items subject to the Buy American Act and Balance of Payments Program clause of this solicitation, the offeror certifies that-

(i) Each end product, except those listed in paragraphs (c)(2) or (3) of this provision, is a domestic end product; and

(ii) Components of unknown origin are considered to have been mined, produced, or manufactured outside the United States or a qualifying country.

(2) The offeror certifies that the following end products are qualifying country end products:

Line Item Number	Country of Origin
_____	_____

(3) The following end products are other foreign end products:

Line Item Number	Country of Origin (If known)

[End of Provision]

48 52.204-4007 OFFEROR'S DATAFAX NUMBER, E-MAIL ADDRESS, AND CAGE CODE MAR/2001
(TACOM)

(a) If you have a data fax number, please provide it below.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 31 of 34
--------------------	---	---------------

Name of Offeror or Contractor:

(b) If you have a company Internet address that we can use in the future when sending out electronic notices and possibly solicitations, please provide the complete e-mail address below.

(c) Provide your CAGE (Contractor And Government Entity) code below. If you don't have a CAGE code for your specific company name and address, enter NONE in the space below, and apply to Central Contractor Registration at the following website:
http://www.ccr2000.com/

[End of Provision]

49 52.213-4007 QUOTER REPRESENTATION OF EXTENT OF TRANSPORTATION BY SEA FEB/1998
(TACOM)

- (a) As part of this quotation, we represent as the quoter that we--
- [] Do
- [] Do Not

anticipate that any supplies will be transported by sea in the performance of any purchase order resulting from this quotation.

(b) The term supplies is defined in the Transportation of Supplies by Sea clause, in DFARS 252.247-7023 to include all materials and components that, when purchased and transported by sea, are intended for use in items to be sold to the Government under this purchase order.

[End of Provision]

50 52.223-4002 USE OF CLASS I OZONE-DEPLETING SUBSTANCES (CIODS) DEC/1993
(TACOM)

- (a) Definitions.

(1) Class I Ozone-Depleting Substances (CIODS) refers to the class of substances identified in Section 602(a) of the Clean Air Act, (42 U.S.C. 7671a(a)), as reproduced below:

- (i) chlorofluorocarbon-11 (CFC-11)
- (ii) chlorofluorocarbon-12 (CFC-12)
- (iii) chlorofluorocarbon-13 (CFC-13)
- (iv) chlorofluorocarbon-111 (CFC-111)
- (v) chlorofluorocarbon-112 (CFC-112)
- (vi) chlorofluorocarbon-113 (CFC-113)
- (vii) chlorofluorocarbon-114 (CFC-114)
- (viii) chlorofluorocarbon-115 (CFC-115)
- (ix) chlorofluorocarbon-211 (CFC-211)
- (x) chlorofluorocarbon-212 (CFC-212)
- (xi) chlorofluorocarbon-213 (CFC-213)
- (xii) chlorofluorocarbon-214 (CFC-214)
- (xiii) chlorofluorocarbon-215 (CFC-215)
- (xiv) chlorofluorocarbon-216 (CFC-216)
- (xv) chlorofluorocarbon-217 (CFC-217)
- (xvi) halon-1211
- (xvii) halon-1301
- (xviii) halon-2402
- (xix) carbon tetrachloride
- (xx) methyl chloroform
- (xxi) Methyl bromide
- (xxii) hydrobromofluorocarbons (HBFCs)
- (xxiii) All isomers of the substances listed in this paragraph (a)(1) except for 1,1,2-trichloroethane, which is an isomer of methyl chloroform.

- (2) Directly requires the use of CIODS means that the Government's specification or technical data package, at any tier,

Name of Offeror or Contractor:

explicitly requires the use of any Class I Ozone-Depleting Substance (CIODS) in performance of the contract.

(3) Indirectly requires the use of CIODS means that the Government's specification or technical data package, while not explicitly requiring the use of any CIODS, does require a feature that you can meet or produce only by the use of CIODS.

(b) Per Section 326 of Public Law 102-484, the Department of Defense cannot award any contract that directly or indirectly requires the use of CIODS unless (i) the use of such substances is essential for contract performance, and (ii) no suitable substitute for the CIODS currently is available.

(c) Before releasing this solicitation, we conducted a best effort review of its technical requirements, standards, and specifications, to see if any contain requirements for CIODS. If we identified any such CIODS requirements, they are identified in subparagraph (d)(1) below.

(1) In addition, to help TACOM meet its obligations under Public Law 102-484, we ask you for input. If you have any special knowledge about any CIODS requirements that our specifications impose, whether directly or indirectly, or if you know about potential substitutes for any CIODS required by our specifications, we would appreciate the information.

(2) It should be understood that you are not obligated to give us the information requested by this provision, and that we cannot provide any separate or special payment for doing so. However, we are asking only for information based on knowledge that is readily available to you as a supplier in this industry. We do not expect you to do any review of our specifications more extensive than the one you perform in order to develop your price.

(d) Please summarize your own review of our specification/technical data package, by completing the following:

(1) During our review of the specification or technical data package in this solicitation, we--

☐ have

☐ have not

found any direct requirements to use any CIODS. (If have is checked above, offerors are asked to identify, on the following lines, (i) any specifications and standards not already listed immediately below that directly require the use of CIODS; (ii) the CIODS required by the listed specifications and standards; and (iii) whether any substitutes are known to be available for the listed CIODS.)

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>

(2) Further, in our review of the specification or technical data package in this solicitation, we--

☐ have

☐ have not

found any indirect requirements to use any CIODS. (Offerors who check have above are asked to identify, on the following lines, (i) the specifications and standards for this acquisition that indirectly require the use of CIODS; (ii) the CIODS indirectly required by each listed specification and standard; and (iii) whether any substitutes are known to be available for the listed CIODS.)

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>

(e) Offerors who check have in paragraphs (d)(1) or (2) above also are requested to say whether substitutes are known to be available for any of the CIODS. If an available substitute would perform less well than the CIODS would perform, please let us know what the technical trade-offs are to the extent that you have such information available.

(f) If you checked have in paragraphs (d)(1) or (2) above, and also indicated that substitutes for CIODS are available, we need to know whether use of the suggested substitute would have any effect on your proposed price. If your proposal price for compliance with our current specifications differs from what your price would be if the substitute for CIODS were required, we ask that you let us know what the difference would be in Section B of this solicitation, by giving us two prices or offers:

--One price/offer, labeled with CIODS, will be the offered price in the event that CIODS are used.

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD</p>	<p align="center">Page 33 of 34</p>
---	--	--

Name of Offeror or Contractor:

--The second price/offer, labeled without CIODS, will be the price offered if substitutes for CIODS are used, and will specify the substitute(s) being proposed for use.

(g) Section 326 of Public Law 102-484 reflects the national and international interest in minimizing the use of CIODS. For this reason, TACOM reserves the right to (i) determine the suitability of substitutes for CIODS when such potential substitutes are available; and (ii) change the specification in any contract awarded as a result of this solicitation, to require the use of suitable substitutes in lieu of CIODS.

[End of Provision]

INSTRUCTIONS, CONDITIONS, AND NOTICES TO OFFERORS

51	52.211-4052 (TACOM)	SOURCE NOTES ON DRAWINGS: CONFORMANCE TO MILITARY TECHNICAL DATA REQUIREMENTS	NOV/1982
----	------------------------	---	----------

Notwithstanding the fact that ordnance drawings furnished with this solicitation may list particular manufacturer part numbers as approved sources, or as being the same as, or equivalent to, the ordnance part described on the drawing, the item to be supplied under this solicitation must conform to all specific technical requirements expressed on such drawing(s). To the extent that there may be any inconsistency between a manufacturer's part number and specific technical requirements expressed on an ordnance drawing which references the manufacturer's part number, the specific technical requirements shall control and take precedence. Bidders shall bear the responsibility of verifying that the approved part as supplied will conform with all such specific technical requirements.

[End of Provision]

52	52.211-4054 (TACOM)	PACKING/PACKAGING LEVEL FOR OPTION QUANTITIES	MAR/1989
----	------------------------	---	----------

For purposes of computing a price for the option quantity specified in Section B of this solicitation and unless otherwise indicated in Section B, it is understood and agreed that the option unit price includes the same level(s) of packing/packaging as those that apply to the basic contract quantity.

[End of Provision]

53	52.217-4004 (TACOM)	DESTINATIONS FOR OPTION QUANTITIES	FEB/1994
----	------------------------	------------------------------------	----------

To compute a price for any option quantity, assume you'll be shipping a proportional share of the option quantity to each destination scheduled to receive shipments of the same item under the basic contract. For example, if the basic contract involves one third of the quantity to go to destination X, and two thirds to destination Y, assume those same percentages will apply to any option quantities the Government will exercise.

[End of Provision]

EVALUATION FACTORS FOR AWARD

54	52.217-4003 (TACOM)	EVALUATION OF INCOMPLETE OPTION PRICING	FEB/1998
----	------------------------	---	----------

(a) Per FAR 17.203(d), offerors may price the option CLIN in this solicitation incrementally, by entering different option unit prices that will apply to different subquantities or quantity ranges (in the event that the Government elects to exercise less than 100% of the option). Notwithstanding this fact, the provision entitled EVALUATION OF OPTIONS (FAR 52.217-5, located elsewhere in this Section M) indicates that the Government's evaluation for contract award will include each offeror's price for 100% of the option quantity.

(b) In light of the above, if an offeror specifies unit prices that apply to one or more option quantity ranges, but does not specify a unit price for 100% of the option, we will evaluate that offer for award as follows. The option price for such offer shall be deemed to be the higher of (i) the unit price that applies to the basic (non-option) quantity, or (ii) the highest unit price that is identified against any range or subquantity of the option CLIN.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-06-Q-1069 MOD/AMD	Page 34 of 34
Name of Offeror or Contractor:		

[End of Provision]